


**AMENDMENT TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings of claims in the application:

**Listing of Claims:**

1-31. (canceled)

32. (currently amended) A method for treating or managing a metalloproteinase (MMP) or calpain related disease or disorder in a mammal, the disease or disorder being ~~selected from the group consisting of cancer metastasis and glioma~~ comprising administering to a mammal in need thereof, a pharmaceutical composition comprising a therapeutically effective amount of a compound of the Formula (I):



wherein

R is saturated or unsaturated alkyl, cycloalkyl, arylalkyl or cycloalkyl-alkyl radical having from 1 to 28 carbon atoms which may be interrupted by any combination of 1-6 oxygen and/or nitrogen atoms, provided that no two oxygen atoms or an oxygen and a nitrogen atom are directly connected to each other; and

M denotes a hydrogen or a physiologically acceptable cation.

33. (previously presented) The method according to claim 32, wherein said method further comprises treating the mammal with additional therapeutic treatment.

34. (previously presented) The method according to claim 32, wherein said mammal is a human.

35 to 37. (cancelled)

38. (previously presented) The method according to claim 32, wherein R in the compound of Formula (I) is a phenylalkyl ~~phenylalkyl~~, and alky interrupted by zero to three oxygen atoms, or a monoalkyl ether of mono-, di-, or tri-ethylene glycol.

39. (previously presented) The method according to claim 32, wherein R in the compound of Formula (I) is selected from the group consisting of:  $C_8H_{17}$ ,  $C_8H_{17}OCH_2CH_2$ ,  $C_{18}H_{37}$ ,  $C_{18}H_{37}OCH_2CH_2$ , benzyl- $CH_2OCH_2CH_2$ ,  $C_{12}H_{25}OCH_2CH_2$ ,  $C_{12}H_{25}(OCH_2CH_2)_2$  and  $C_{12}H_{25}(OCH_2CH_2)_3$ .

40. (previously presented) The method according to claim 32, wherein the metalloproteinase is MMP-9.

41 to 44. (cancelled)

45. (previously presented) The method according to claim 33, wherein said additional treatment is selected from the group consisting of chemotherapy, irradiation therapy, immunotherapy, genetic therapy and surgery.

46. (previously presented) The method according to claim 32, wherein said compound of Formula (I) is selected from the group consisting of:

1,2-bis(2-aminophenoxy)ethane, N,N'-di(2-octoxyethyl acetate),N, N' -diacetic acid;

1,2-bis(2-aminophenoxy)ethane, N, N' -di(2-octodecyloxyethyl acetate),N, N' -diacetic acid;

1,2-bis(2-aminophenoxy)ethane, N, N' -di(2-benzyloxyethyl acetate),N, N' -acetic acid;

1,2-bis(2-aminophenoxy)ethane, N, N' -di(2-dodecyloxyethyl acetate),N, N' -diacetic acid;

1,2-bis(2-aminophenoxy)ethane, N, N' -di[2-(2-dodecyloxyethoxy)-ethyl acetate],N, N' -diacetic acid; and

Application No. 10/529,028  
Amendment dated May 13, 2010  
Reply to Office Action of February 18, 2010

1,2-bis(2-aminophenoxy)ethane, N, N' -di {2[2-(2-dodecyloxyethoxy)ethoxy]-ethyl acetate}, N, N' -diacetic acid.

47. (cancelled)